



EVSE LS4 T2EV 11kW M R LAN

Public charging stations for ground mounting with 2 EV outlet and integrated MCB and RCCB for each outlet. Light list indicator is at the top of the station and on distance you can read the charging status. The connection to the base station with mobile com or wired internet connection. In accordance with the applicable international standard IEC 60364-7-722 charging of electric cars there are requirements for Type B RCDs or type A RCDs in combination with the DC monitoring that breaks at 6mA. EVSE ground mounted type2 EV-outlet 11kW with meter, RFID and LAN.

E-number	Article number
2701319	354657

General properties

Type designation	LS4-DCM-T211WO-R-LAN
Materials	Aluminium
Colour	Grey
Rated voltage [V AC]	230/400
Package size [pcs]	1
Standard	EN 61851-1 IEC 61439-7 AEVCS
Netweight [kg]	24.50
Width [mm]	375
Height [mm]	1400
Depth [mm]	208
Frequency [Hz]	50
Temperature range [C]	-25C...+40C
Mounting method	Floor fastening
Degree of protection [IP]	54
Cablearea [mm ²]	50mm ² AL/CU
Meter	Yes
RFID	Yes
Impact strength	IK10
RCCB/RCBO	RCCB A DC fault protection

Specific properties

Name	EVSE LS4 T2EV 11kW M R LAN
E-number	2701319
Article number	354657
Rated current [A]	32
AC/DC output	Type2 outlet
AC/DC output	Type2 outlet
Storage temperature [C]	-40...+50
Phases	3
Communication	LAN
Power outlet [kW]	11